EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	"957344"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:45
L2	4	(power near2 (manag$5 or control$4)) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:48
L3	135	((pre adj decod$3) or predecod$3) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:48
L4	71	(chang$3 or modify$3 or encod$3 or recod$3 or (re adj cod$3)) near6 ((instruction$1 or microinstruction$1 or (micro adj instruction$1) or opdoce$1) near3 (bit$1 or (bit adj (value$1 or field$1)) or bitfield$1 or field$1 or flag$1 or indicator$1)) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:50
L5	47	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:49
L6	47	5 and cache$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:50
L7	43	5 and ((prior or before) near6 cache$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:51
L8	26	7 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 08:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	(((pre adj decod$3) or predecod$3) near6 cache$1) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 10:43
L2	62	(((pre adj decod$3) or predecod$3) same ((prior or before) near6 cache$1)) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:30
L3	35	(((pre adj decod$3) or predecod$3) with ((prior or before) near6 cache$1)) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:01
L4	20	3 and (chang$3 or modify$3 or encod$3 or recod$3 or (re adj cod$3)) near6 ((instruction$1 or microinstruction$1 or (micro adj instruction$1) or opdoce$1) near3 (bit$1 or (bit adj (value$1 or field$1)) or bitfield$1 or field$1 or flag$1 or indicator$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 10:50
L5	8	3 and (chang$3 or modify$3 or encod$3 or recod$3 or (re adj cod$3)) near6 ((one or single) near3 (bit$1 or (bit adj (value$1 or field$1)) or bitfield$1 or field$1 or flag$1 or indicator$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:01
L6	33	(chang$3 or modify$3 or encod$3 or recod$3 or (re adj cod$3)) near6 ((one or single) near3 (bit$1 or (bit adj (value$1 or field$1)) or bitfield$1 or field$1 or flag$1 or indicator$1)) and 712/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:29
L7	16	6 and ((prior or before) near6 cache$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:29
L8	24720	(chang$3 or modify$3 or encod$3 or recod$3 or (re adj cod$3)) near6 ((one or single) near3 (bit$1 or (bit near2 (value$1 or field$1)) or bitfield$1 or field$1 or flag$1 or indicator$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:29

L9	15	8 same ((prior or before) near6 cache$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:30
L10	3	8 with ((prior or before) near6 cache$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:30
L11	3	9 and ((pre adj decod$3) or predecod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:30
L12	0	10 and ((pre adj decod$3) or predecod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 11:30
L13	0	("6912649").URPN.	USPAT	OR	OFF	2006/05/25 11:32
L14	4	("20010013093" | "20020152368" | "5867501" | "6016544").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 11:32